62.09

Mrs. Louise Schwerdtfeger's "CASA de BEGONIA"

1450 Cantera Avenue Santa Barbara, California

1954



THE HOME OF OLD FAVORITES and NEW INTRODUCTIONS SPECIES and HYBRID BEGONIAS

FOREWORD

I wish to thank the many begonia growers and collectors for their past patronage, and to greet those of you who will be ordering for the first time.

Having grown and collected begonias for more than twenty years I can guarantee my stock to be of the best. Most of the species are strong plants grown from seed. The propagation of the varieties is accomplished without benefit of artificial heating. Constantly adding new species and hybrids, I shall be happy to answer inquiries on begonias other than those listed and can possibly supply you.

Except for the construction of ever-needed additions to the Nursery, which is done by my husband, I do all the growing and shipping. So may I ask you to be patient when ordering and plan to give at least ten days time to fill your orders.

If you are in the vicinity you would be most welcome to visit us and see begonias as they grow on the hill overlooking the blue Pacific. We are located five miles West of Santa Barbara, in the Hope Ranch Park. Telephone 4913 for directions in finding us.

PLEASE READ BEFORE ORDERING Terms of Sale

Please make all remittances payable to Louise Schwerdtfeger. No C.O.D. orders. California residents please add 3% Sales Tax. Minimum order \$3.00. Small orders shipped Parcel Post. Special Delivery (45c) assures no delay at terminals. Large orders sent Express Collect. All orders acknowledged as soon as received. No substitutions unless notified to do so. Begonias listed are from 2½" or 3" pots, with well established roots. Each plant is correctly labeled and packed in damp moss. Plants guaranteed to arrive in good condition, if found unsatisfactory return immediately and satisfactory adjustment will be made and postage paid.

*REX BEGONIAS

Rex begonias vary in price according to colour and form.

Seedlings	.35,	8 for \$2.00
Named varieties	.75,	4 for \$2.50
Spiral leaf	1.00,	2 for \$1.75
Unusual and colorful	1.00.	Rex miniatures 1.50

My collection of rexes contains many of the Western hybrids never before on the market. State choice of colour, form and type of growth, when ordering. Green, silver, bright colored, spiral-leaf, compact or tall growing.

RARE and UNUSUAL BEGONIAS

The following begonias are rare, many of them NEW on the market. Since stock is limited can only take advanced orders. Information and special cultural data given with each plant. Write for price.

B. Griffithi, B. goegoensis, B. sementacea, B. crispula, B. Paulensis, B. Cathayana, B. luxurians, B. Lemminghei, B. Versicolor, . Kuhlmani, B. Leibmanni, B. hemsleyana, B. laciniata and variations, B. Allenia, B. digitata, B. convolvulacea, B. Bartoria, B. Picta, B. Frobelli, B. manicata aureamaculata, B. manicata crispa, B. manicata-aureo-maculata crispa.

FIBROUS BEGONIAS

	1.00	
ACUTANGULARIS. Cane-type angular stem. Bronze leaves, red under. White X ALTO-SCHARFFI. (Woodriff) Entirely covered with soft red hair. Pink	.85 1.00	
ANDINA. Slender stems, brownish green foliage. White flowers	.95	
X ARGENTEA-GUTTATA. (Lemoine) Silver spotted foliage. Creamy white * BENNETT RUBRA (Robinson) Cane, medium, silver spots. Salmon-pink	.75	
* CHIALA (German seed) Dark green, red backed. Greenish white flowers		
* CHIALA ROSEA. Similar to above with pink flowers	.95 .85	
COCCINEA. Cane-type, angel-wing smooth leaves. Coral-red flower clusters	.75	
COMPTA. Cane-type Gray stripping along midrib, red back. White flowers CUSPIDATA. Costa Rica. Glossy foliage, well branched	$.85 \\ 1.00$	
DICHOTOMA. Thick stemmed, few branched, hairy leaves, white flowers		
DIPETALA. Syn. Mrs. Kimball. Erect thick stemmed. Soft pink flowers	.75	
* DROSTI (Bower) B. Scharffi seedling. Leaves hairy, purple back. Pink * DRURYI (Bower) Tall bushy, glossy dark leaves, red backed. White flowers.	1.00	
* FRIEDA GRANT. (Grant) Similar to B. Chiala, curving leaves, red backed.	.85	
* GRAY FEATHER (Murphy) B. Compta seedl'g, gray-green veined, wavy. Wh. * HATTIE WORDEN (Murphy) Leather-like foliage, bronze green. Pure white	1.00 1.00	
INVOLUCRATA. Soft hairy lobed leaves, many branched. White flower clusters.	1.00	
INDIA-SPOTTED. India Species. Tall palmately-lobed, gray spotted. Flws. pink X LU WALTER. (Ziesenhenne) Bronzy-green foliage. Pink dotted red flowers.	0.95 1.00	
LOBULATA. Tall erect, glossy, tomentose beneath. Pink clusters.	1.00	
* LUCERNA. Tall cane. Silver spotted foliage. Huge red flower clusters	.95	
X MARGARITAE. (French hybrid) Hairy olive green leaves, bushy. Bright pink.	.75	
METALLICA. Bushy, metalic sheen, purple veines. Bright pink, red-bearded	.85	
* NELLIE BLY (Gray) Erect bushy, hairy, dark green red backed. Deep pink X PAUL BRUANT (French hybrid) Med. cerrate leaf, large clusters of pink	.95 1.00	
X PERLE LORRAINE (Lemoine) Low bushy, marbled-choc. foliage. Soft pink.	.85	
* PRUNIFOLIA (Robinson) Hairy, olive-green, deep purple back. White bearded. ROEZLI. Hall, shiny green leaves few branched. Deep pink in large clusters	.75	
SCABRIDA. Thick stemmed, bushy, hairy bright green foliage. White flws	1.00	
SCHARFFI. Entirely hairy, bushy, tall, large clusters, bearded pink flws* SHASTA (Robinson) Cane type. Smooth leaves. White flowers	.85 .75	
* TEMPLINI Mutant, tall, green leaves mottled with autumn colors. Pink	1.25	
* THURSTONI. Smooth thick leaves red beneath. Pale pink flowers	.85	
VITIFOLIA Glossy green ivy shaped. Flowers pink, large clusters.	.85 1.00	
ZEBRINA. Tall cane. Long leaves, gray markings along veins. White flowers	.85	
SMALL LEAVED FIBROUS		
SMALL LEAVED FIBROUS		
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers	.50	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws	.85	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers	.85 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White margon centers.	.85 .75 .75 .50	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers.	.85 .75 .75 .50 .85	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers. *FUCHSIODES FLORABUNDA (Lemoine) Tall Rose-like leaves pink flws.	.85 .75 .75 .50 .85 .85	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters	.85 .75 .75 .50 .85 .85 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata.	.85 .75 .75 .50 .85 .75 .85 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers.	.85 .75 .50 .85 .85 .75 .85 .75 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers.	.85 .75 .50 .85 .75 .75 .75 .75 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white.	.85 .75 .50 .85 .75 .75 .75 .75 .75 .50	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink	.85 .75 .50 .85 .85 .75 .75 .75 .75 .75 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves	.85 .75 .50 .85 .75 .75 .75 .75 .75 .75 .75 .75 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP. Unknown origin. Semp. Flowers pink with double center.	.85 .75 .50 .85 .85 .75 .75 .75 .75 .75 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP. Unknown origin. Semp. Flowers pink with double center. PHILIPPINE Species. Silver spotted leaves, delicate. White flowers	.85 .75 .50 .85 .85 .75 .75 .75 .75 .75 .75 .75 .85 .75 .85	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP, Unknown origin. Semp. Flowers pink with double center.	.85 .75 .50 .85 .85 .75 .75 .75 .75 .75 .75 .75 .85 .75 .75	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES, Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP. Unknown origin. Semp. Flowers pink with double center. PHILIPPINE Species. Silver spotted leaves, delicate. White flowers. UNDULATA. Well branched, good bloomer. Pure white flower clusters.	.85 .75 .50 .85 .75 .75 .75 .75 .75 .75 .75 .85 .75 .75 .75 .85 .75 .75 .75 .75 .85 .75 .75 .75 .75 .75 .75 .75 .75 .75 .7	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP. Unknown origin. Semp. Flowers pink with double center. PHILIPPINE Species. Silver spotted leaves, delicate. White flowers. UNDULATA. Well branched, good bloomer. Pure white flower clusters. * WASHINGTON STREET. Peach-leaf. Graceful. Flowers white.	.85 .75 .50 .85 .75 .75 .75 .75 .75 .75 .75 .85 .75 .75 .85 .75 .85 .75 .85 .75 .85 .85 .75 .85 .85 .85 .85 .85 .85 .85 .85 .85 .8	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers. * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP. Unknown origin. Semp. Flowers pink with double center. PHILIPPINE Species. Silver spotted leaves, delicate. White flowers. UNDULATA. Well branched, good bloomer. Pure white flowers white. * WASHINGTON STREET. Peach-leaf. Graceful. Flowers white. ** BARKERI. Immense dark green leaves. Huge clusters of small white flowers. BARKERI. Immense dark green leaves. Huge clusters of small white flowers. COSTA RICA Species. Furry stems and under leaf. White flowers.	.85 .75 .50 .85 .75 .75 .75 .75 .75 .75 .75 .75 .75 .7	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers. * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP. Unknown origin. Semp. Flowers pink with double center. PHILIPPINE Species. Silver spotted leaves, delicate. White flowers. UNDULATA. Well branched, good bloomer. Pure white flower clusters. * WASHINGTON STREET. Peach-leaf. Graceful. Flowers white. RHIZOMATOUS BEGONIAS BARKERI. Immense dark green leaves. Huge clusters of small white flowers. BARKERI. Immense dark green leaves. Huge clusters of small white flowers. DAYII. Glossy green leaves with margon veins lacy greenish white flowers. DAYII. Glossy green leaves with margon veins lacy greenish white flowers.	.85 .75 .50 .85 .75 .75 .75 .75 .75 .75 .75 .75 .75 .7	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers. * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP. Unknown origin. Semp. Flowers pink with double center. PHILIPPINE Species. Silver spotted leaves, delicate. White flowers. * WASHINGTON STREET. Peach-leaf. Graceful. Flowers white. * WASHINGTON STREET. Peach-leaf. Graceful. Flowers pink. COSTA RICA Species. Furry stems and under leaf. White flowers. DAYII. Glossy green leaves with maroon veins. lacy greenish white flowers. A ERYTHROPHYLLA. (German hybrid). Syn Feasti Olive grn. red back. Pink. * ERYTHROPHYLLA. (German hybrid). Syn Feasti Olive grn. red back. Pink. * ERYTHROPHYLLA. (German hybrid). Syn Feasti Olive grn. red back. Pink.	.85 .75 .75 .85 .85 .75 .75 .75 .75 .75 .85 .75 .75 .85 .75 .75 .85 .75 .75 .85 .75 .75 .75 .75 .75 .75 .75 .75 .75 .7	
ACUMINATA. Low, bushy, constant bloomer, pink to red flowers. X BAYERN (German origin) Similar to Prussen, silver dotted. Pink flws. X CORBEILLE de FEU. (Lemoine) Glossy green, few branched, coral-red flws. DREGEI. MacBethi Var. semi-tuberous bronzy green, purple veined. White. DOMINICAN Species. Low-growing, well branched flws. White maroon centers. X DIGSWELLIANA (Early English) Glossy, branches drooping, flws. scarlet FUCHSIODES. Rose-like leaves, tall, heart-shaped scarlet flowers. * FUCHSIODES FLORABUNDA (Lemoine) Tall, Rose-like leaves, pink flws. FOLIOSA. Fern-like foliage, branching. Miniature pale pink flws. INCARNATA. Bushy, good bloomer, medium tall. Pink flower clusters. * INCARNATA SANDERSI. Taller and hardier than B. incarnata. X INGRAMI (Ingram) Tall bushy, many flowers of deep pink. MACBETHI. Maple-leaved, many branched, pinkish white flowers. * MEDORA (Gray) Bushy, silver spotted foliage, pinkish white flowers. PET (Woodriff) Bushy, glossy foliage, flowers pink. RICHARDSIANA MacBethi Variety. Leaves finely lobed, flws. pinkish white. * SYLVIA. (Shepherd) Seedling of MacBethi. Bushy, flowers pink. SEMPERFLORENS. Double white flowers. Tender, medium growth. PARRICA. New species. Thick stemmed fibrous small leaves. PINK-TOP. Unknown origin. Semp. Flowers pink with double center. PHILIPPINE Species. Silver spotted leaves, delicate. White flowers. UNDULATA. Well branched, good bloomer. Pure white flower clusters. * WASHINGTON STREET. Peach-leaf. Graceful. Flowers white. RHIZOMATOUS BEGONIAS BARKERI. Immense dark green leaves. Huge clusters of small white flowers. BARKERI. Immense dark green leaves. Huge clusters of small white flowers. DAYII. Glossy green leaves with margon veins lacy greenish white flowers. DAYII. Glossy green leaves with margon veins lacy greenish white flowers.	.85 .75 .50 .85 .75 .75 .75 .75 .75 .75 .85 .75 .75 .85 .75 .85 .75 .75 .85 .75 .85 .75 .75 .85 .75 .75 .75 .75 .75 .75 .75 .75 .75 .7	

LOUISE SCHWERDTFEGER "CASA de BEGONIA"

1450 Cantera Avenue SANTA BARBARA, CALIFORNIA

BEGONIA SEED

Choice Rex Hybrids, Mixed

acetosa acida aridicaulis Barkeri Boweri Boweri major chimborazo chivatoa circumlobata conchaefolia Costa Rica sp. crispula cuspidata Dayii dregei dichroa dipetala epipsila Fernandoi Coastae glabra

hydrocotylifolia incana India Spotted involverata BR imperialis E C F Kenworthyi Kellermani Ay 4 lobulata Department of Agriculture Philippine sp. pustulata green pustulata silver ramentacea Rubro-Venia Schultziana strigillosa Stitches tomentosa vellozoana

\$1.00 per packet

acutangularis
Calla-lily begonia
coccinea
compta
foliosa
incarnata
incarnata Sandersi

macBethi metallica Richardsiana Scharffiana Schmidtiana vitifolia zebrina

75c per packet

acuminata francola hirtella leptotricha Mexican #38 #2579 (like Odorata alba) Reichenheimi (variations)

Roezli

Sunderbruchi (variations) subvillosa

50c per packet

(tuberous species)

boliviensis evansiana alba evansiana Sutherlandi multiflora hybrids (mixed colors)

35c per packet

Seed tested for germination. Growing instructions with each order.

LOUISE SCHWERDTFEGER CASA de BEGONI

1450 Contera Avenue SANTA BARBARA, CALIFORNIA

BEGONIA SEED

Choice Rex Hybrids, Mixed

hydrocotylifolia incana India Spotten staronlovai Barkeri chimborazo
chimborazo
chimborazo
chimborazo
chimborazo
chimborazo
chimborazo
chimborazo imperialis circumlobate of below macrocarpa conchactelia of the Mazae Conchaciolia
Costa Rica sp.
Costa Rica sp.
crispula
crispula
couspidata
cousp Fernandoi Coastae tomentosa glabra vellozoana vellozoana saluo per packet

maeBethi v at karr. acutangularis metallica Calla-fily begonia Richardsiana Schariffiana Schmidtiana compta will remosite foliosa vitifelfa zebrina incarnata Sandersi

75c per pocket

#2579 (like Odorata alba) Reichenheimi (whitations) francola Sunder brochi (variations) Mexican #35 50c per Backet

(letters arrangement

计划数据公司的是这

X FRED BROWN. (Ziesenhenne). Dark bronze leaves medium. Pink flowers	1.00
X FREDDIE (Ziesenhenne). Hardy, large leaves with collar. (Robinson medal)	1.00
* FUSCOMACULATA. Syn. Rubella. Med. Chocolate mottled foliage. Pink	
X GLENDALE (Slocum). Star type. Distinctive vein markings. Pink to red	1.50
X HARVEY (Frey). Upright, compact, bronze edges. Many flowered pink	1.00
X HELEN KRAUSS (Schwerdtfeger). Dk. grn., heavily marked brown. Dot. pink.	1.00
HEPATICA MACULATA. Brown mottled, medium. Pinkish white flowers	1.00
X JIMMY DECKER. (Zieshenhenne). Thick dark green, hardy, light pink flws	
X JOE HAYDEN (Zieshenhenne). Hardy bronze to black leaves. Tall pink flws	.95
X JOHN WILLIAMS. (Schwerdtfeger). Lettuce green leaves. Greenish white.	
MANICATA. Smooth leaves, coarse collar of deep red. Lacy soft pink flws	.95
MEXICO NO. 2. Upright leaf slightly marked with brown. Small white flws	.85
NELUMBIFOLIA. Peltate leaves. Flowers white to pink.	1.00
* NINA BALDWIN. (Ziehenhenne). Selected from 27S group. Tall pink flws	
PAGE THIRTEEN. Medium, foliage mottled with brown. Flws. pink.	.85
X PALOMAR. (Bower). Thick ascending, white scurfy, tall pale pink flowers.	1.00
X RICKY MINTER. (Turner). Hardy, bronze leaves spiralled & crested. Reddish	
X RICINIFILIA. (English hybrid). Large bronzy lobed. Tall toft pink.	.95
X RICINIFOLIA FISCHER'S. Leaf stem covered with tufts, more pointed. Pink.	.95
X SANTA ROSA STAR. Heavy rhizome large deeply cut leaf. Large deep pink.	1.25
X SACRAMENTO STAR. Bronze green red back. Tall chartreuse flowers	1.50
X SKEEZAR. (Ziehenhenne). Medium silver leaves, red beneath. Whitish flws.	1.00
X SILVER STAR (Frey). Medium. Heavily silvered. Greenish white. ABS medal.	1.00
STRIGILIOSA. Light green leaves, mottled chocolate. Light pink flws	.95
SQUARROSA. Hairy round leaf deeply veined. White flowers.	1.00
X TEXAS STAR, (Schwerdtfeger). Dark green leaf, of unusual shape	1.50
X VERSCHAFFELTI. (Regel). Thick erect. Glossy green. Tall clear pink flws	1.00
X ZAIDA. (Schwerdtfeger). Medium. Thick bronze leaf, red beneath. Tall pink.	1.00
SMALL LEAVED RHIZOMATOUS	
X ABILENE (Schwerdtfeger). Compact, hairy silver foliage, red backed	1.25
X BABY BROWN. (Zeisenhenne). Bronze roundish leaves, reddish-pink flws	
X BEL-AIR. (Schwerdtfeger). Compact, veins brownish, low, pink flowers	
X BOW-ARRIOLA. (MacLanahan). Round leaves, dark markings, pink flowers.	1.25
X BOW-NIGRA. (MacLanahan). Star-type, dk. grn. with heavy markings. Pink.	1.25
X BOW-CHANCEE. (MacLanahan). Smooth green leaf, choc. edges, pink flws.	1.25
BOWERI. Miniature, cholocate margins edged with eyelashes, palest pink	1.00
X DEL-MAR. (Schwerdtfeger). Compact, light grn. with brown veins. Lacy pink.	
X EDITH M. (Introduced by Zug), Star type, dark markings, pink flowers	1.25
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers,	1.50
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers	1.50
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws.	$1.50 \\ 1.50$
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink.	1.50 1.50 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink.	1.50 1.50 1.00 1.25
X LLOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink	1.50 1.50 1.00 1.25 1.50
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws.	1.50 1.50 1.00 1.25 1.50 1.25
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy round leaved, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.25
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.25 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.00 1.50
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink. X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers. X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers. ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest).	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.25 1.25 1.25 1.50
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.25 1.25 1.50
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.00 1.50 1.25 .95 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers. X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers. ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves.	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.00 1.50 1.25 .95 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick I'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves.	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.00 1.50 1.25 .95 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws.	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.00 1.50 1.00 1.50
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver X SPAULDING. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick I'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.00 1.50 1.00 1.50 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.25 1.00 1.50 1.50 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.25 1.00 1.50 1.50 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers	1.50 1.50 1.00 1.25 1.50 1.25 1.25 1.00 1.50 1.00 1.00 1.50 1.00 1.50 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RUTHANNE. (Schwerdtfeger). New. Slate-green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flower cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny vellow veined. Flws. lge. petals.	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.50 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RUTHANNE. (Schwerdtfeger). New. Slate-green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flower cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veined. Flws. lge. petale CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw. clusters.	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.00 1.50 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RUTHANNE. (Schwerdtfeger). New. Slate-green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flower cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veined. Flws. lge. petal. CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw. clusters. EPIPSILA. Drooping. leathery bronze foliage, white flowers.	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.50 1.50 1.00
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick i'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flower cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.50 1.00 1.50 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veined. Flws. lge. petal. CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw. clusters. EPIPSILA. Drooping, leathery bronze foliage, white flowers	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.00 1.00 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flows. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.00 1.00 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers	1.50 1.50 1.50 1.25 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.50 1.00 1.50 1.5
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.50 1.00 1.50 1.00 1.50 1.00 1.50 1.5
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.25 1.00 1.00 1.00 1.50 1.00 1.00 1.00 1.50 1.5
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RESEDA. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flower cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers. X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veined. Flws. Ige. petal. CONVOLVUTRACAE. Clinging, Ige. glossy leaves, huge lacy white flw. clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. * FRUTISCANS. (German seed). Drooping, thick olive-green red backed. Pinkis GLABRA of the scandens group. Trailing, glossy leaves. White clusters. GRANDMA-FREY. Unknown origin. Semp. Trailing, glossy bronze margin. Red. X LULANDI. (Woodriff). Semi-tuberous. Maple-like foliage, pink flowers. X MARJORIE DAW. (Shepherd). Hardy fibrous, large clusters of red flowers.	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.50 1.00 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RESEDA. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flower cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers. X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veined. Flws. Ige. petal. CONVOLVUTRACAE. Clinging, Ige. glossy leaves, huge lacy white flw. clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. * FRUTISCANS. (German seed). Drooping, thick olive-green red backed. Pinkis GLABRA of the scandens group. Trailing, glossy leaves. White clusters. GRANDMA-FREY. Unknown origin. Semp. Trailing, glossy bronze margin. Red. X LULANDI. (Woodriff). Semi-tuberous. Maple-like foliage, pink flowers. X MARJORIE DAW. (Shepherd). Hardy fibrous, large clusters of red flowers.	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.50 1.00 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.50 1.00 1.50 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flower cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veinad. Flws. lge. petal: CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw. clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. GRANDMA-FREY. Unknown origin. Semp. Trailing, glossy bronze margin. Red. LULANDI. (Woodriff). Semi-tuberous. Maple-like foliage, pink flowers X MAZAE. gronze with brown markings, drooping, dotted pink flowers. MA	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.00 1.00 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flower cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veinad. Flws. lge. petal: CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw. clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. GRANDMA-FREY. Unknown origin. Semp. Trailing, glossy bronze margin. Red. LULANDI. (Woodriff). Semi-tuberous. Maple-like foliage, pink flowers X MAZAE. gronze with brown markings, drooping, dotted pink flowers. MA	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.00 1.00 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veinad. Flws. lge. petal: CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw clusters. EPIPSILA. Drooping, leathery bronze foliage, white flowers. X E. O. ORPET. (Ziesenhenne). Satiny lvs, true hanger, salmony flwr clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. FRUTISCANS. (German seed). Drooping, thick olive-green red backed. Pinkis GLABRA of the scandens group. Trailing, glossy leaves. White clusters. GRANDMA-FREY. Unknown origin. Semp. Trailing, glossy bronze margin. Red. X LULANDI. (Woodriff). Semi-tuberous. Maple-like foliage, pink flowers MAZAE.	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.00 1.00 1.00 1.50 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flowers cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veined. Flws. lge. petal. CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw clusters. EPIPSILA. Drooping, leathery bronze foliage, white flowers. X E. O. ORPET. (Ziesenhenne). Satiny lvs, true hanger, salmony flwr clusters. FRUTISCANS. (German seed). Drooping, thick olive-green red backed. Pinkis GLABRA of the scandens group. Trailing, glossy bronze margin. Red. X LULANDI. (Woodriff). Semi-tuberous. Maple-like foliage, pink flowers X MARJORIE DAW. (Shepherd). Hardy fibrous, large clusters of red flowers. MAZAE—gr	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.25 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. (Ziesenhenne). Compact silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flowers cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers X CATALINA. (Shepherd). Low spreading, glossy, few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veined. Flws. lge. petal. CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw clusters. EPIPSILA. Drooping, leathery bronze foliage, white flowers. X E. O. ORPET. (Ziesenhenne). Satiny lvs, true hanger, salmony flwr clusters. FRUTISCANS. (German seed). Drooping, thick olive-green red backed. Pinkis GLABRA of the scandens group. Trailing, glossy bronze margin. Red. X LULANDI. (Woodriff). Semi-tuberous. Maple-like foliage, pink flowers X MARJORIE DAW. (Shepherd). Hardy fibrous, large clusters of red flowers. MAZAE—gr	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.25 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0
X ELOISE (Schwerdtfeger). Thick, soft, hairy leaves, bright pink flowers. X EVANSIALIS (Longmore). Upright, compact, hairy leaves, bright pink flws. HYDROCOTYLIFOLIA. Pennywort. Low, red backed leaved. Tall, deep pink. X MELROSE. (Schwerdtfeger). Brown tinted red backed foliage, hairy. Pink. X MAPHIL. (Walker). Star type, chartreuse and brown markings. Flws. pink. X MURIEL DAY. (Ziesenhenne). Soft hairy with silver markings. Whitish flws. X REGEL. (Schwerdtfeger). Low, soft hairy, round leaved, pink flowers. X RESEDA. (Zug). Low, bronze hairy yellowish veined, pink flowers. ROTUNDIFOLIA. Small round fluted light green foliage, compact, white flws. X RUTHANNE. (Schwerdtfeger). New. Slate-green rose tinted with silver. SCHULTZIANA. (Gray-green lobed. Low, comp. small white flws. (Needs rest). X SPAULDING. (Schwerdtfeger). Thick r'ndish levd heavily brn. veins. Pink. X ZEE-BOWMAN. Similar to above with less silver markings red backed, whitish. X ZEE-BOWMAN. Similar to above with less silver and green backed leaves. TRAILING AND HANGING BEGONIAS X AIDA. (Frey). New. Satiny foliage, many shoots, lovely salmony-pink flws. ALBA SCANDENS. Creeping, glossy leaves, lacy white flws. yellow stamens X ALPHA GERE. (Schippy). Clinging, large glossy leaves, white flowers cluster. BOWERI-MAJOR. Creeping rhizome, similar to Boweri. White flowers. X CATALINA. (Shepherd). Low spreading, glossy few hairs. Flws. pink to wh. CHIMBORAZO. Creeping rhizome. Peltate shiny yellow veinad. Flws. lge. petal: CONVOLVUTRACAE. Clinging, lge. glossy leaves, huge lacy white flw clusters. X FLORENCE CARRELL. (Frey). Hardy hanger, beaut. salmon-pk. flw. clusters. FRUTISCANS. (German seed). Drooping, thick olive-green red backed. Pinkis GLABRA of the scandens group. Trailing, glossy leaves. White clusters. GRANDMA-FREY. Unknown origin. Semp. Trailing, glossy bronze margin. Red. X LULANDI. (Woodriff). Semi-tuberous. Maple-like foliage, pink flowers. MAZAE—green. Variations of B Mazae. Light green leaves with markings. * MAZAE—dark. Variations of	1.50 1.50 1.00 1.25 1.25 1.25 1.25 1.00 1.50 1.00 1.50 1.00 1.50 1.00 1.0

RARE OR UNUSUAL BEGONIAS

ACETOSA. Soit hairy, low growing, dark foliage bracida. Creeping, bright green hairy leaves, white acontripolia. Tail erect, deeply lobed leaves, sit a Alice-Mac. (L. S.) Soit hairy, many pointed leave aridinated. (L. S.) Soit hairy, many pointed leave aridinated. Small delicate fibrous, silver frosted, tin a Bejou De Jardin. (French hybrid). Min. Semp. Calla-Lily. Semp. leaves green with white. Fim a Calla-Lily. Semp. leaves green with white. Fim a Calla-Lily. Semp. leaves green with white. Fim a Celoyfe. (Schwerdueger). Drooping, semi-tub. C Estralensis. Similar to B. carpinifloia, well brand fernandous. Similar to B. carpinifloia, well brand fernandous. Similar velvety imperials. Small rnixomatous, soft hairy velvety imperials. Small rnixomatous, soft hairy velvety imperials. Small rnixomatous, soft hairy velvety imperials. (Selected variations). Dark markings incana. Thick stemmed fibrous, leather-like peltate kellermani. Fibrous few branches, cub-shaped per kenworthyii. Upright rhizomatous. Ivy-shaped blackellermani. Fibrous few branches, cub-shaped per kenworthyii. Upright rhizomatous. Ivy-shaped blackellermani. Fibrous few branches, cub-shaped per kenworthyii. Upright rhizomatous. Ivy-shaped blackellermani. Fibrous few branches, cub-shaped per kenworthyii. Upright rhizomatous. Ivy-shaped blackellermani. Fanny Giron. Schmidt). Semi-tuberous, dar polly cooper. (Frey). Semi-tuberous, diright, spintorium. Med. Rhizomatous, leaves distinct soft pustulata Silver. Creeping velvety green with silpustulata Green. Var. of above. Darker green with Guadrellermani. The like fibrous hairy lor and process. Philodendron-ax rudy's richard. Tall, tree-like fibrous, prijoh, spintorium. Med. Rhizomatous, elaves distinct soft pustulata. Tall, hairy fibrous, elm-shaped leaves, undemiller. (Robinson). Similar to Mrs. W. A. W. X. known hybrid. * unknown parentage or selected seedling. All others begonia species.	riowers. 1.00 rer blotches. 1.50 es, cnartreuse flower. 1.00 veined leaves, white flws. 1.00 y pink flower. 1.00 romp., small double scarlet. 75 rs. red, pink or white. 1.00 romer, salmon-pink. 1.25 oral-red flowers. 1.50 hed, flowers white. 85 right fib. pure white flws. 1.50 rownish light veins 1.00 rownish light vein
ORDER BLANK	Order No
SCHWERDTFEGER'S CASA de BEGONIA	Date
1450 Cantera Avenue	Ack
Santa Barbara, California	Shpd.
Please Print Name and Address	AMOUNT ENCLOSED
NAME	W
STREET OR R.F.D.	Money Order \$
CITY OR TOWN	Postal Order \$
STATE	Check \$
	Cash \$
QUANTITY VARIETY	PRICE
AMOUNT OF	

If sold out of a variety may we substitute one similar YES

NO 🗆